RADemics

Feature Engineering Strategies for Enhancing Deep Learning Model Performance

Dr. K. Kali Selvi, Dr. S. K. Periyasmy, Dr. T. Vandarkuzhali
DHANALAKSHMI SRINIVASAN COLLEGE OF ENGINEERING AND TECHNOLOGY, Jamal Mohamed College (Autonomous), Hindusthan College of Engineering and Technology

Feature Engineering Strategies for Enhancing Deep Learning Model Performance

[1]K. Kalai Selvi, Professor and Dean, Department of Electronics and Communication Engineering, Dhanalakshmi Srinivasan College of Engineering and Technology, Chennai-603104. easkalaiswamy@gmail.com

[2]S.K. Periyasamy, Assistant Professor, Department of Chemistry, Jamal Mohamed College (Autonomous), Tiruchirappalli-620 020. skps@jmc.edu

[3]T. vandarkuzhali, Associate Professor, Department of Mechatronics Engineering, Hindusthan College of Engineering and Technology, Valley Campus, Coimbatore -641032. vandarkuzhali.mct@heicet.ac.in

Abstract

The effectiveness of deep learning models depends substantially on the quality, relevance, and adaptability of the features used to represent complex data. Conventional feature engineering approaches often encounter limitations when processing high-dimensional datasets, heterogeneous information sources, noisy observations, and dynamically changing environments. This chapter examines advanced feature engineering strategies for enhancing deep learning model performance, emphasizing data preparation, feature selection, dimensionality reduction, automated feature extraction, semantic representation, and multimodal feature fusion. Particular attention is directed toward adaptive feature learning under distribution shifts, feature quality evaluation in imbalanced datasets, and scalable feature processing through distributed computing frameworks. The discussion explores how convolutional neural networks, transformers, autoencoders, and attention-based architectures facilitate the discovery of meaningful representations while reducing dependence on manually designed features. Automated preprocessing pipelines and systematic evaluation procedures are considered essential for improving reproducibility, computational efficiency, and predictive reliability. Challenges involving redundant attributes, class imbalance, noisy data, computational complexity, and changing feature distributions are also examined. The chapter establishes a comprehensive methodological foundation for integrating domain-specific knowledge, automated representation learning, and scalable computational techniques to develop robust deep learning systems for intelligent prediction and decision support across diverse real-world applications.

Keywords: Feature Engineering; Deep Learning; Feature Selection; Representation Learning; Multimodal Learning; Distributed Computing.

Introduction

The expansion of digital technologies has transformed the way complex data are collected, processed, and interpreted across scientific, industrial, and commercial environments [1]. Deep learning has emerged as a powerful computational approach for identifying nonlinear relationships, extracting hierarchical patterns, and supporting intelligent predictive applications

[2]. The effectiveness of these models depends substantially on the quality and relevance of the features presented during training [3]. Raw datasets frequently contain redundant variables, irrelevant attributes, inconsistent measurements, and complex dependencies that can increase computational demands and weaken predictive performance [4]. Feature engineering addresses these challenges by organizing, transforming, selecting, and constructing informative representations from raw information [5]. A systematic feature engineering framework therefore provides an essential foundation for developing reliable deep learning models capable of extracting meaningful patterns from increasingly complex datasets.

High-dimensional data present significant challenges because numerous input variables can introduce redundancy, multicollinearity, computational overhead, and difficulties in identifying discriminative patterns [6]. Traditional feature selection methods, including statistical filtering, wrapper-based selection, and embedded optimization, help identify attributes that contribute meaningfully to prediction objectives [7]. Dimensionality reduction techniques, such as principal component analysis and nonlinear representation learning, further support compact feature construction while retaining important information [8]. Deep learning architectures introduce an alternative approach by automatically learning hierarchical representations through successive computational layers. Convolutional neural networks identify spatial characteristics, recurrent architectures model sequential dependencies, and transformer-based models capture contextual relationships through attention mechanisms [9]. Integrating conventional feature engineering with learned representations can improve model efficiency, support effective information extraction, and reduce dependence on manually designed attributes across diverse predictive modeling tasks [10].

The growing availability of heterogeneous information sources has increased the importance of domain-specific and multimodal feature engineering [11]. Modern applications frequently combine numerical measurements, images, textual documents, audio signals, and temporal observations to obtain a comprehensive representation of complex phenomena [12]. Each data modality requires appropriate preprocessing and feature extraction procedures before meaningful integration becomes possible [13]. Semantic feature construction transforms textual information into representations that capture contextual meaning, linguistic relationships, and domain-specific terminology [14]. Similarly, image-based feature extraction identifies spatial structures, while temporal feature engineering captures trends, periodic patterns, and evolving dependencies [15]. Multimodal fusion subsequently combines complementary representations to improve predictive understanding. Effective integration requires suitable feature alignment, consistent transformation procedures, and careful management of missing observations, ensuring that heterogeneous information contributes meaningfully to the final learning process.